



## مشاهده روند تغییرات عملکرد آزمایشگاه برای پارامترهای مختلف در طول نوبت‌های مختلف برنامه‌های آزمون مهارت (PT)

شرکت پیشگامان کیفیت پاسارگاد در راستای برآورده‌سازی انتظارات مشتریان خود و همچنین بهبود سیستم گزارش‌دهی آزمون‌های مهارت (PT)، اقدام به اضافه نمودن قسمتی در سامانه ثبت نتایج (KPMD) به منظور مشاهده روند تغییرات عملکرد آزمایشگاه برای یک پارامتر خاص در نوبت‌های مختلف نموده است. در ادامه مراحل مشاهده این قابلیت جدید توضیح داده شده است.

۱. مراجعه به وبسایت <http://www.kpmd.co.uk/pqp/Default.asp>

Pasargad Quality Pioneers (PQP) x +

Not secure | kpmd.co.uk/pqp/Default.asp

PASARGAD QUALITY PIONEERS پیشگامان کیفیت پاسارگاد

Welcome

### Login

Lab Number

Login ID

Password

Language English

Reminder Login

You are required to have authorisation from Pasargad Quality Pioneers (PQP) before you proceed and you are strictly limited to the use set out within that authorisation.

[Please read these terms and conditions before using the website.](#)

Not a member?

Register Here

۲. کد آزمایشگاه، شناسه ورود و کلمه عبور را وارد نموده و وارد حساب کاربری شوید. در این قسمت تمامی برنامه‌هایی که تاکنون شرکت نموده‌اید را مشاهده می‌فرمایید. در قسمت بالا گزینه‌ی Performance را انتخاب نمایید.



Pasargad Quality Pioneers (PQP) x +

Not secure | kpm.d.co.uk/pqp/scripts/MainList.asp

PASARGAD QUALITY PIONEERS | پیشگامان کیفیت پاسارگاد

**Rounds**

Email us | Rounds | Performance | Your Details | News | Help | Logout

click for performance reporting

\*\*\* Please select \*\*\*

Scheme	Round	Issue Date	Closing Date	Submitted	Status
Ground Water Physicochemical Parameters (SAMPLE 3:EC/TDS)	WAT-CH-0011 (Sample 3)	23/06/2016	05/09/2016	24/08/2016	Report Available
Ground Water Physicochemical Parameters (SAMPLE 3:EC/TDS)	WAT-CH-0014 (Sample 3)	27/05/2017	31/08/2017	15/08/2017	Report Available
Ground Water Physicochemical Parameters (SAMPLE 3:EC/TDS)	WAT-CH-0018 (Sample 3)	07/07/2018	22/08/2018	06/09/2018	Report Available
Ground Water Physicochemical Parameters (SAMPLE 3:EC/TDS)	WAT-CH-0022 (Sample 3)	25/07/2019	01/09/2019	01/09/2019	Report Available
Ground Water Physicochemical Parameters (SAMPLE 4:ANIONS MIX)	WAT-CH-0011 (Sample 4)	23/06/2016	05/09/2016	24/08/2016	Report Available
Ground Water Physicochemical Parameters (SAMPLE 4:ANIONS MIX)	WAT-CH-0014 (Sample 4)	27/05/2017	31/08/2017	15/08/2017	Report Available
Ground Water Physicochemical Parameters (SAMPLE 4:ANIONS MIX)	WAT-CH-0018 (Sample 4)	23/06/2016	05/09/2016	24/08/2016	Report Available
Ground Water Physicochemical Parameters (SAMPLE 4:ANIONS MIX)	WAT-CH-0011 (Sample 5)	07/07/2018	22/08/2018	07/09/2018	Report Available
Ground Water Physicochemical Parameters (SAMPLE 5:Inorganics)	WAT-CH-0018 (Sample 5)	23/06/2016	05/09/2016	24/08/2016	Report Available
Ground Water Physicochemical Parameters (SAMPLE 5:Inorganics)	WAT-CH-0011 (Sample 1)	27/05/2017	31/08/2017	15/08/2017	Report Available
Ground Water Physicochemical Parameters (SAMPLE 5:Inorganics)	WAT-CH-0018 (Sample 1)	05/07/2018	22/08/2018	06/09/2018	Report Available
Ground Water Physicochemical Parameters (SAMPLE 5:Inorganics)	WAT-CH-0022 (Sample 1)	25/07/2019	01/09/2019	27/08/2019	Report Available
Ground Water Physicochemical Parameters (SAMPLE 2:PH)	WAT-CH-0011 (Sample 2)	23/06/2016	05/09/2016	24/08/2016	Report Available
Ground Water Physicochemical Parameters (SAMPLE 2:PH)	WAT-CH-0014 (Sample 2)	27/05/2017	31/08/2017	15/08/2017	Report Available
Ground Water Physicochemical Parameters (SAMPLE 2:PH)	WAT-CH-0018 (Sample 2)	07/07/2018	22/08/2018	17/09/2018	Report Available
Ground Water Physicochemical Parameters (SAMPLE 2:PH)	WAT-CH-0022 (Sample 2)	25/07/2019	01/09/2019	27/08/2019	Report Available
Heavy Metals in Water (SAMPLE 2:MIX)	WAT-MT-0004 (SAMPLE 2)	06/09/2015	02/01/2016	30/12/2015	Report Available
Heavy Metals in Water (SAMPLE 2:MIX)	WAT-MT-0005	25/06/2016	05/09/2016	25/08/2016	Report Available
Heavy Metals in Water (SAMPLE 2:MIX)	WAT-MT-0006 (Sample 2)	27/05/2017	31/08/2017	15/08/2017	Report Available
Microbiological Parameters in Water	WAT-MC-0005	12/09/2015	04/11/2015	20/10/2015	Report Available
Microbiological Parameters in Water	WAT-MC-0007	25/06/2016	05/09/2016	16/08/2016	Report Available
Microbiological Parameters in Water	WAT-MC-0009	27/05/2017	31/08/2017	16/08/2017	Report Available
Microbiological Parameters in Water	WAT-MC-0011	07/07/2018	22/08/2018	12/09/2018	Report Available
Microbiological Parameters in Water	WAT-MC-0012	09/03/2019	20/04/2019	18/04/2019	Report Available
Microbiological Parameters in Water	WAT-MC-0013	26/07/2019	01/09/2019	28/08/2019	Report Available
Nutrients in Water	WAT-NT-0003	05/02/2015	30/04/2015	10/06/2015	Report Available

### ۳. حال می‌توانید آنالیت و سال موردنظر را انتخاب نمایید.

Pasargad Quality Pioneers (PQP) x +

Not secure | kpm.d.co.uk/pqp/scripts/Performance.asp

PASARGAD QUALITY PIONEERS | پیشگامان کیفیت پاسارگاد

**On-going Performance**

Email us | Rounds | Performance | Your Details | News | Help | Logout

Analyte: \*\*\* Analyte \*\*\*

Year: All Years

Select a Participant and an Analyte Group from the drop-down box above

Version: 1.00



۴. به عنوان مثال انتخاب Fecal Coliforms در تمامی سال‌ها. حال عملکرد خود را در تمامی برنامه‌هایی که تاکنون شرکت کرده‌اید برای آنالیت مربوطه روی نمودار و همچنین مقادیر Z بدست آمده، در جدولی پایین صفحه مشاهده می‌کنید.

